

1365cd-1366ab; VG);

(2) = hrīvera (Siddhasāra-Nigh. 42: different from bālaka).

ariṣṭa

(1) = nimba: Azadirachta indica A. Juss. (Bt.);

(2) Sapindus trifoliatus Linn. (Bt.);

(3) S. mukorossi Gaertn. (Bt.);

(4) = laśuna: Allium sativum Linn. (Bpn; WIRM 1,p.58);

(5) Xanthium strumarium Linn. (Chopra; Nadk. 1,nr.2631);

(6) = phenilā = upodikā: Basella rubra Linn. (Da. on Su.U.39,285).

arjuna

(1) Terminalia arjuna (Roxb.) Wight et Arn. (Bpn, vaṭādivarga 26; Nadk. 1,nr.2448; Bt.; Chopra; Sharma; DGV 5,p.31-35; CD, p.18-25; KB 2,p.1023-1028);

(2) T. myriocarpa Heurck et Muell.-Arg. (DGV 5,p.33);

(3) T. tomentosa Wight et Arn. (CD, p.19-20; V. 1,p.87);

(4) Sterculia urens Roxb. (CD, p.19-21; V. 1,p.87);

(5) Lagerstroemia speciosa (Linn.) Pers. = L. flos-reginae Retz. (CD, p.20; KB 2,p.1080-1081; Nadk. 1,nr.1420) = tiniśa.

aśoka

Saraca asoca (Roxb.) De Wilde = S. indica auct. non Linn. (see WIRM 9,p.232). The name aśoka is also applied to Polyalthia longifolia (Benth. et Hook.f. or Thw.; I do not know which name is valid).

aśvakarna

(1) Shorea robusta Gaertn.f. (KB 1,p.288-290; HK; Nadk. 1,nr.2293; Dutt; Indu on A.s.Ka.3,13: = sāla; Bpn, vaṭādivarga 19 = śāla; Nś. 102: śāle; DWH 1,p.195-196);

(2) Dipterocarpus alatus Roxb. (Kai.Nigh., oṣadhivarga 844);

(3) D. turbinatus Gaertn.f. (Sharma; VG);

(4) Vateria indica Linn. (V. 4,p.7);

(5) Terminalia alata Heyne ex Roth (DGV 5,p.330-331: = jaraṇadruma);

(6) = gardabhāṇḍa (Thespesia populnea (Linn.) Soland. ex Correa) (Śivadāsa on Cakradatta, viṣa 21);