

fish and of a musty smell; the other resembles *aśvattha* fruits and smells like fish; their qualities are the same (Vśś);

(2) JUNIPERUS COMMUNIS LINN. (Bpn, p. 50-51; Chopra; Dgv, nr. 302; Gul; KB 3, p. 2380-2382; Nadk. 1, nr. 1383);

(3) TAMARIX GALICA LINN. (Bpn, p. 51 : acc. to some);

(4) FLUGGEEA LEUCOPYRUS WILLD. (Bpn, p. 51 : acc. to some);

(5) SPHAERANTHUS INDICUS LINN. (AFM 1, p. 115-119) [= S. HIRTUS BURM.] (ibid.) = S. HIRTUS WILLD. = S. MOLLIS ROXB. (ibid.);

(6) S. AFRICANUS LINN. (ibid. : *śvetahapuşā*);

(7) PIPER NIGRUM LINN. (Nadk. 1, nr. 1929);

(8) THEVETIA NEREIFOLIA JUSS. EX STEUD. (Nadk. 1, nr. 2466) = CERBERA THEVETIA LAM. (ibid.);

(9) NERIUM ODORUM [SOLAND. IN] AIT. (Nadk. 1, nr. 2466).

haridrā

(1) CURCUMA LONGA LINN. (AFM 1, p. 59-60; Ainslie 1, p. 454-455; Bpn, p. 114; Chopra; DWH 3, p. 407-414; IRM 2, p. 402-405; KB 4, p. 2423-2426; Nadk. 1, nr. 750; PW; Watt CP, p. 445-449) [= C. LONGA ROXB.] (Dutt; Dy, p. 764-768; Gul; HK; Roxb., p. 11) = C. LONGA (Avk; Dgv, nr. 304; MW; V 10, p. 58; Vśś);

(2) C. AROMATICA SALISB. (*vanaharidrā*) (Avk; Bpn, p. 117; Chopra; Dgv, nr. 310; Dutt; DWH 3, p. 396-398; KB 4, p. 2419-2420; Nadk. 1, nr. 748; Vśś) = C. ZEDOARIA ROXB. (Dutt; Vśś);

(3) C. AMADA ROXB. (Avk : *āmraharidrā*; *karpūraharidrā* : Chopra; IRM 2, p. 401; KB 4, p. 2422-2423; Nadk. 1, nr. 746) [= C. MATICO] (Nadk. 1, nr. 746);

(4) ZINGIBER ZERUMBET ROSC. EX SM. (KB 4, p. 2438-2439 : *karpūraharidrā*);

(5) HEDYCHUM SPICATUM SM. (Avk; KB 4, p. 2430-2431 : *amla-haridrā*);

(6) = *dāruharidrā*.

harītakī

(1) TERMINALIA CHEBULA RETZ. (Ainslie 2, p. 128-129; Avk; Bpn, p. 7; Chopra; Dgv, nr. 148; Dutt; DWH 2, p. 1-5; Dy, p. 317-320; Gul; HB; HK; Kav; KB 2, p. 1020-1023; MW; Na 1, nr. 206; Nadk. 1, nr. 2451; PA 1, 7, p. 92-105; PW; Sanyal; V 10, p. 50; Vśś) [= T. CHEBULA WILLD.] (Ainslie 1, p. 237-239; Roxb., p. 381) = T. RETICULATA ROTH (PA 1, 7, p. 102) = T. ARATA BUCH.-HAM. EX G. DON (PA 1, 7, p. 102) = T. TOMENTELLA KURZ (PA 1, 7, p. 102) [= T.